CORRECTION Open Access

## Correction to: Photosynthesis acclimation under severely fluctuating light conditions allows faster growth of diatoms compared with dinoflagellates



Lu Zhou<sup>1,2,3</sup>, Songcui Wu<sup>1,2</sup>, Wenhui Gu<sup>1,2</sup>, Lijun Wang<sup>1,2</sup>, Jing Wang<sup>1,2</sup>, Shan Gao<sup>1,2\*</sup> and Guangce Wang<sup>1,2\*</sup>

Correction to: BMC Plant Biol 21, 164 (2021) https://doi.org/10.1186/s12870-021-02902-0

Following publication of the original article [1], the authors identified that Fig. 3 appears identical with Fig. 4. In fact, the Fig. 3 has never been changed from the original submitted manuscript to the revision and proof process. The order and legend of Fig. 3 were also not changed in the submission and revision. The loss of Fig. 3 was due to the careless manipulation during the type-setting process. The correct Fig. 3 is provided below:

The correction does not have any effect on the results or conclusions of the paper. The original article has been corrected.

The original article can be found online at https://doi.org/10.1186/s12870-021-02902-0.

<sup>\*</sup> Correspondence: shangao@qdio.ac.cn; gcwang@qdio.ac.cn


CAS and Shandong Province Key Laboratory of Experimental Marine
Biology, Center for Ocean Mega-Science, Institute of Oceanology, Chinese
Academy of Sciences, Qingdao 266071, China

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Zhou et al. BMC Plant Biology (2021) 21:205 Page 2 of 2



**Fig. 3** Fast kinetics of P700 during 300 ms SP after dark adaptation with or without 10 μM inhibitor Antimycin A (AA) in red tide diatom **b** *S. costatum*, red tide dinoflagellate **d** *A. carterae*, **e** *P. donghaiense*, and **f** *K. mikimotoi*, model diatom **c** *P. tricornutum*, **a** *T. pseudonana* and model dinoflagellate **g** *D. Symbiodinium*. Data was normalized to [0,1] using origin 9.0

## **Author details**

<sup>1</sup>CAS and Shandong Province Key Laboratory of Experimental Marine Biology, Center for Ocean Mega-Science, Institute of Oceanology, Chinese Academy of Sciences, Qingdao 266071, China. <sup>2</sup>Laboratory for Marine Biology and Biotechnology, Qingdao National Laboratory for Marine Science and Technology, Qingdao 266237, China. <sup>3</sup>College of Earth Sciences, University of Chinese Academy of Sciences, Beijing 100049, China.

## Published online: 30 April 2021

## Reference

 Zhou L, Wu S, Gu W, Wang L, Wang J, Gao S, et al. Photosynthesis acclimation under severely fluctuating light conditions allows faster growth of diatoms compared with dinoflagellates. BMC Plant Biol. 2021;21(1):164. https://doi.org/10.1186/s12870-021-02902-0.